

Nutritional Care of the Preterm Infant: International Guidelines

♦ Bibliography ♦

Álvarez P, Ramiro-Cortijo D, Montes MT, et al. Randomized controlled trial of early arachidonic acid and docosahexaenoic acid enteral supplementation in very preterm infants. *Front Pediatr.* 2022;10:947221. doi:10.3389/fped.2022.947221

Amissah EA, Brown J, Harding JE. Protein supplementation of human milk for promoting growth in preterm infants. *Cochrane Database Syst Rev.* 2020;9(9):CD000433. doi:10.1002/14651858.CD000433.pub3

Bell KA, Cherkerzian S, Drouin K, et al. Associations of macronutrient intake determined by point-of-care human milk analysis with brain development among very preterm infants. *Children (Basel).* 2022;9(7):969. doi:10.3390/children9070969

Bozzetti V, Martin CR. The practice of enteral nutrition in very low and extremely low birth weight infants. *World Rev Nutr Diet.* 2021;122:265-280. doi:10.1159/000514743

Brenna JT, Varamini B, Jensen RG, Diersen-Schade DA, Boettcher JA, Arterburn LM. Docosahexaenoic and arachidonic acid concentrations in human breast milk worldwide. *Am J Clin Nutr.* 2007;85(6):1457-1464. doi:10.1093/ajcn/85.6.1457

Brownell EA, Matson AP, Smith KC, et al. Dose-response Relationship Between Donor Human Milk, Mother's Own Milk, Preterm Formula, and Neonatal Growth Outcomes. *J Pediatr Gastroenterol Nutr.* 2018;67(1):90-96. doi:10.1097/MPG.0000000000001959

Denne SC, Poindexter BB. Evidence supporting early nutritional support with parenteral amino acid infusion. *Semin Perinatol.* 2007;31(2):56-60. doi:10.1053/j.semperi.2007.02.005

Dorling J, Abbott J, Berrington J, et al. Controlled trial of two incremental milk-feeding rates in preterm infants. *N Engl J Med.* 2019;381(15):1434-1443. doi:10.1056/NEJMoa1816654

Härtel C, Spiegler J, Fortmann I, et al. Breastfeeding for 3 months or longer but not probiotics is associated with reduced risk for inattention/hyperactivity and conduct problems in very-low-birth-weight children at early primary school age. *Nutrients.* 2020(11):3278. doi:10.3390/nu12113278

Hellström A, Pivodic A, Gränse L, et al. Association of docosahexaenoic acid and arachidonic acid serum levels with retinopathy of prematurity in preterm infants. *JAMA Netw Open.* 2021;4(10):e2128771. doi:10.1001/jamanetworkopen.2021.28771

Fenton TR, Al-Wassia H, Premji SS, Sauve RS. Higher versus lower protein intake in formula-fed low birth weight infants. *Cochrane Database Syst Rev.* 2020;6(6):CD003959. doi:10.1002/14651858.CD003959.pub4

Koletzko B, Wieczorek S, Domellof M, Poindexter BB. Defining nutritional needs of preterm infants. In: Koletzko B, Cheah F-C, Domellöf M, Poindexter BB, Vain Nestor, van Goudoever JB, eds. *Nutritional Care of Preterm Infants: Scientific Basis and Practical Guidelines.* 2nd ed. Karger;2021:5-11.

Kumbhare SV, Jones WD, Fast S, et al. Source of human milk (mother or donor) is more important than fortifier type (human or bovine) in shaping the preterm infant microbiome. *Cell Rep Med.* 2022;3(9):100712. doi:10.1016/j.xcrm.2022.100712

Nutritional Care of the Preterm Infant: International Guidelines

Madore LS, Bora S, Erdei C, Jumani T, Dengos AR, Sen S. Effects of donor breastmilk feeding on growth and early neurodevelopmental outcomes in preterm infants: An observational study. *Clin Ther.* 2017;39(6):1210-1220. doi:10.1016/j.clinthera.2017.05.341

Osborn DA, Schindler T, Jones LJ, Sinn JK, Bolisetty S. Higher versus lower amino acid intake in parenteral nutrition for newborn infants. *Cochrane Database Syst Rev.* 2018;3(3):CD005949. doi:10.1002/14651858.CD005949.pub2

Parker LA, Weaver M, Murgas Torrazza RJ, et al. Effect of aspiration and evaluation of gastric residuals on intestinal inflammation, bleeding, and gastrointestinal peptide level. *J Pediatr.* 2020;217:165-171.e2. doi:10.1016/j.jpeds.2019.10.036

Pichaud JC, et al. In: Koletzko B, Cheah F-C, Domellöf M, Poindexter BB, Vain Nestor, van Goudoever JB, eds. *Nutritional Care of Preterm Infants: Scientific Basis and Practical Guidelines.* 2nd ed. Karger; 2021.

Premkumar MH, Pammi M, Suresh G. Human milk-derived fortifier versus bovine milk-derived fortifier for prevention of mortality and morbidity in preterm neonates. *Cochrane Database Syst Rev.* 2019;2019(11):CD013145. doi:10.1002/14651858.CD013145.pub2

Quigley M, Embleton ND, McGuire W. Formula versus donor breast milk for feeding preterm or low birth weight infants. *Cochrane Database Syst Rev.* 2019;7(7):CD002971. doi:10.1002/14651858.CD002971.pub5

Stephens BE, Walden RV, Gargus RA, et al. First-week protein and energy intakes are associated with 18-month developmental outcomes in extremely low birth weight infants. *Pediatrics.* 2009;123(5):1337-1343. doi:10.1542/peds.2008-0211

Taylor SN, et al. In: Koletzko B, Cheah F-C, Domellöf M, Poindexter BB, Vain Nestor, van Goudoever JB, eds. *Nutritional Care of Preterm Infants: Scientific Basis and Practical Guidelines.* 2nd ed. Karger; 2021.

Teller IC, Embleton ND, Griffin IJ, van Elburg RM. Post-discharge formula feeding in preterm infants: A systematic review mapping evidence about the role of macronutrient enrichment. *Clin Nutr.* 2016;35(4):791-801. doi:10.1016/j.clnu.2015.08.006

Van den Akker CHP, et al. In: Koletzko B, Cheah F-C, Domellöf M, Poindexter BB, Vain Nestor, van Goudoever JB, eds. *Nutritional Care of Preterm Infants: Scientific Basis and Practical Guidelines.* 2nd ed. Karger; 2021.

Wu T, Jiang PP, Luo P, et al. Availability of donor milk improves enteral feeding but has limited effect on body growth of infants with very-low birthweight: Data from a historic cohort study. *Matern Child Nutr.* 2022;18(2):e13319. doi:10.1111/mcn.13319

Young L, Embleton ND, McGuire W. Nutrient-enriched formula versus standard formula for preterm infants following hospital discharge. *Cochrane Database Syst Rev.* 2016;12(12):CD004696. doi:10.1002/14651858.CD004696.pub5

Young L, Oddie SJ, McGuire W. Delayed introduction of progressive enteral feeds to prevent necrotising enterocolitis in very low birth weight infants. *Cochrane Database Syst Rev.* 2022;1(1):CD001970. doi:10.1002/14651858.CD001970.pub6

Nutritional Care of the Preterm Infant: International Guidelines

Ziegler EE. Human milk and human milk fortifiers. *World Rev Nutr Diet.* 2014;110:215-227.
doi:10.1159/000358470



ANNENBERG CENTER FOR HEALTH SCIENCES
AT EISENHOWER
Imparting knowledge. Improving patient care.

This activity is supported by an educational grant from **Mead Johnson Nutrition.**